



To Authenticate Scan QR Code

Sample Collected At : C000000808-QUALITY CHECK

Bhopal  
 Madhya Pradesh, INDIA

Name	: MR. DUMMY	Age/Gender	: 26 Years/MALE
Reg No	: 0001EB001029	Barcode No	: E1100001260
Sample Coll Dt	: 02-02-2026 09:58 AM	Reg Date	: 02-02-2026 11:25 AM
Sample Rcv Dt	: 02-02-2026 11:25 AM	Reported Date	: 02-02-2026 12:33 PM
Report Status	: Final	Referred By	: SELF

Tests	Results	Biological Ref Range	Units	Method
-------	---------	----------------------	-------	--------

SEROLOGY

VDRL TITRE

VDRL (RPR)	NON REACTIVE	Titers of 1:8 and above are considered significant.	TITRE
------------	--------------	---	-------

Specimen:  
 SERUM

**Comment:**

This is a screening test for syphilis. The result is Non-Reactive, which indicates no serological evidence of syphilis infection at present. In case of clinical suspicion or high-risk exposure, it is advisable to confirm with specific treponemal tests such as TPHA or FTA-ABS.

\*\*End Of Report\*\*

This report is not subject to use for any medico-legal purposes

Dr Surbhi Suneja  
 Consultant Microbiologist