



[To Authenticate Scan QR Code](#)

Sample Collected At : C000000808-QUALITY CHECK

Bhopal
Madhya Pradesh, INDIA

Name	: MR. DUMMY	Age/Gender	: 30 Years/MALE
Reg No	: 0001EA020979	Barcode No	: E1100001071
Sample Coll Dt	: 30-01-2026 07:03 PM	Reg Date	: 30-01-2026 07:04 PM
Sample Rcv Dt	: 30-01-2026 07:04 PM	Reported Date	: 30-01-2026 07:10 PM
Report Status	: Final	Referred By	: Dr. DUMMY

Tests	Results	Biological Ref Range	Units	Method
-------	---------	----------------------	-------	--------

CLINICAL PATHOLOGY

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

COLOUR	PALE YELLOW	PALE YELLOW	Visual Determination
APPEARANCE	CLEAR	CLEAR	Visual Determination

CHEMICAL EXAMINATION

PH	6.5	4.5 - 7.5	Double Indicator Principle
SPECIFIC GRAVITY	1.020	1.005-1.035	Pretreated Polyelectrolyte Change
GLUCOSE	NOT DETECTED	NOT DETECTED	Oxidase Peroxidase
PROTEIN	NOT DETECTED	NOT DETECTED	Protein Error of indicator
KETONES	NOT DETECTED	NOT DETECTED	Aceto Acetic Reaction with Nitroprusside
BLOOD	NOT DETECTED	NOT DETECTED	Peroxidase reaction of hemoglobin
BILIRUBIN	NOT DETECTED	NOT DETECTED	Azo-coupling reaction
NITRITE	NOT DETECTED	NOT DETECTED	Diazotization

MICROSCOPIC EXAMINATION

PUS CELLS/WBCS	0-1	0-5	/HPF	MICROSCOPY
EPITHELIAL CELLS	NIL	0-5	/HPF	MICROSCOPY
RED BLOOD CELLS	NIL	NIL	/HPF	MICROSCOPY
CASTS	NOT DETECTED	NOT DETECTED		MICROSCOPY
CRYSTALS	NOT SEEN			MICROSCOPY
BACTERIA	ABSENT	ABSENT		MICROSCOPY
Specimen:				
URINE				

** End Of Report **
This report is not subject to use for any medico-legal purposes

Dr. Nitesh Rawat
MD (Pathology)
Consultant Pathologist